				37 20		Page 1 of 5
FORM PTO-144			Attorney Docket No.: 17634	4-00033 00 5	Application No.	: 09/458,813
LIST OF PATENTS AND PUBLICATIONS FOR			Applicant: Brian R. Murphy et al			
APPLICANT'S INFORMATION DISCLOSURE STATEMENT (Use several sheets if necessary)			Filing Date: December 10, 1999 Group:			
Reference Desig	nation	Ţ	J.S. PATENT DOCUMENT	S		Page 1
Examiner Initial	Document No.	Date	Name	Class	Sub-class	Filting Date (If Appropriate)
<u>></u> AA	5,716,821	02/20/98	Wertz et al.	435	235.1	AUG 112 2000
& AB	5,789,229	08/04/98	Wertz etal. JUL 3 1 2000	435	235.1	·
&B AC	5,869,036	02/09/99	Belshe Bal.	/424	93.2	**************************************
SAB_AD	6,033,886	03/07/00	Conzelmann	435	172.3	
		FOR	DESCRIPTION DOCUMENT	NAME OF THE PARTY		
	D (37	ı	REIGN PATENT DOCUME			T
	Document No.	Date	Country	Class	Sub-class	Translation (Yes/No)
SAS AE	WO 97/06270	02/20/97	PCT	C12N		
AF	WO 97/11093	03/27/97	PCT	C07K		
AG	WO 97/20468	06/12/97	PCT	A01N		
AH	WO 99/02657	01/21/99	PCT	C12N		
AI	0 440 219 A1	08/07/91	EUROPE	C12N		
<u>V</u> AJ	0 702 085 A1	03/20/96	EUROPE	C12N	_	
	TO	HER ART (Inclu	iding Author, Title, Date, Po	ertinent Pages, E	tc.)	
AK AK	Baron et al., "Re	scue of Rinderpes	t Virus from Cloned cDNA,"	J. Virol. 71:1265	-1271, 1997 COI	Y ENCLOSED
AL	Belshe et al., "Cold Adaptation of Parainfluenza Virus Type 3: Induction of Three Phenotypic Markers," <u>J. Med. Virol</u> . 10:235-42, 1982					
AM	Blumberg et al., "Measles Virus L Protein Evidences Elements of Ancestral RNA Polymerase," <u>Virology</u> 164:487-497, 1988					
AN	Buchholz et al., "Generation of Bovine Respiratory Syncytial Virus (BRSV) from cDNA: BRSV NS2 Is Not Essential for Virus Replication in Tissue Culture, and the Human RSV Leader Region Acts as a Functional BRSV Genome Promoter," J. Virol. 73:251-259, 1999 COPY ENCLOSED					
AO	Bukreyev, et al., "Recovery of Infectious Respiratory Syncytial Virus Expressing an Additional, Foreign Gene," <u>J. Virol.</u> 70:6634-41, 1996 COPY ENCLOSED					
AP	Bukreyev, et al., "Interferon γ Expressed by a Recombinant Respiratory Syncytial Virus Attenuates Virus Replication in Mice Without Compromising Immunogenicity," Proc. Nat. Acad. Sci. USA 96:2367-2372, 1999 COPY ENCLOSED					
AQ	Cadd et al., "The Sendai Paramyxiovirus Accessory C Proteins Inhibit Viral Genome Amplification in Promoter-Specific Fashion," J. Virol. 70:5067-74, 1996 COPY ENCLOSED					
AR	Collins, et al., "Production of Infectious Human Respiratory Syncytial Virus from Cloned cDNA Confirms an Essential Role of the Transcription Elongation Factor from the 5' Proximal Open Reading Frame of the M2 mRNA in Gene Expression and Provides a Capability for Vaccine Development," Proc Nat. Acad. Sci. USA 92:11563-11567, 1995					
AS	Collins et al., "Parainfluenza Viruses", in <u>Fields Virology</u> , B. N. Fields (Knipe et al., eds.), 3 rd ed., vol. 1, p. 1205-1243, Lippincott-Raven Publishers, Philadelphia, 1996					
AT	Conzelmann et al., "Rescue of Synthetic Genomic RNA Analogs of Rabies Virus by Plasmid-Encoded Proteins," <u>J. Virol.</u> 68:713-719, 1994					
_, ,		Conzelmann, "Genetic Manipulation of Non-Segmented Negative-strand RNA Viruses," <u>J. Gen. Virol.</u> 77:381-389, 1996				
<u> </u>		onone Manpalan	on or room beginning rought.			<u></u> //,

3 1 2000

torney Docket No.: 17634-000330US

Attorney Docket No.: 17634-000330U\$ Application No.: 09/458,813 FORM PTO-1449 (Modified) FORM PTO-1449 (Modified)

LIST OF PATENTS AND PUBLICATIONS FOR Applicant: Brian R. Murphy et al. Filing Date: December 10, 1999 ATENT & TRA APPLICANT'S INFORMATION DISCLOSURE STATEMENT (Use several sheets if necessary) SAY AV Curran, et al., "Sendai Virus P Gene Produces Multiple Proteins from Overlapping Open Reading Frames," Enzyme **COPY ENCLOSED** 44:244-249, 1990 AW Curran, et al., "The Sendai Virus Nonstructural C Proteins Specifically Inhibit Viral mRNA Synthesis," Virology 189:647-656, 1992 **COPY ENCLOSED** Delenda, et al., "Normal Cellular Replication of Sendai Virus Without the trans-Frame, Nonstructural V Protein," AX Virology 228:55-62, 1997 **COPY ENCLOSED** AY Delenda et al., "Sendai Viruses with Altered P V, and W Protein Expression," Virology 242:327-337, 1998 **COPY ENCLOSED** Dimock, et al., "Rescue of Synthetic Analogs of Genomic RNA and Replicative-Intermediate RNA of Human ΑZ Parainfluenza Virus Type 3," J. Virol. 67: 2772-2778, 1993 Durbin et al., "Minimum Protein Requirements for Transcription and RNA Replication of a Minigenome of Human BA Parainfluenza Virus Type 3 and Evaluation of the Rule of Six," Virology 234:74-83, 1997 Durbin et al., "Recovery of Infectious Human Parainfluenza Virus Type 3 from cDNA," Virology 235:323-332, BB 1997 Finke et al. "Ambisense Gene Expression for Recombinant Rabies Virus: Random Packaging of Positive- and BC Negative-Strand Ribonucleoprotein Complexes into Rabies Virions," J. Virol. 71:7281-7288, 1997 **ENCLOSED** Galinski et al., "Molecular Cloning and Sequence Analysis of the Human Parainfluenza 3 Virus mRNA Encoding BD the P and C Proteins," Virology 155:46-60, 1986 **COPY ENCLOSED** Galinski et al., "Molecular Cloning and Sequence Analysis of the Human Parainfluenza 3 Virus Gene Encoding the BE L Protein," Virology 165:499-510, 1988 Galinski et al., "RNA Editing in the Phosphoprotein Gene of the Human Parainfluenza Virus Type 3," Virology BF 186:543-550, 1992 BG Garcin et al., "A Highly Recombinogenic System for the Recovery of Infectious Sendai Paramyxovirus from cDNA: Generation of a Novel Copy-back Nondefective Interfering Virus," EMBO J. 14:6087-6094, 1995 Garcin et al., "A Point Mutation in the Sendai Virus Accessory C Proteins Attenuates Virulence for Mice, But Not BH Virus Growth in Cell Culture," Virology 238:424-431, 1997 COPY ENCLOSED Grosfeld et al., "RNA Replication by Respiratory Syncytial Virus (RSV) Is Directed by the N, P, and L Proteins; ΒI Transcription Also Occurs under These Conditions but Requires RSV Superinfection for Efficient Synthesis of Full-Length mRNA," J. Virol. 69: 5677-5686, 1995 Hall et al., "Cold-passaged Human Parainfluenza Type 3 Viruses Contain ts and Non-ts Mutations Leading to BJAttenuation in Rhesus Monkeys," Virus Res. 22:173-184, 1992 Hasan et al., "Creation of an Infectious Recombinant Sendai Virus Expressing the Firefly Luciferase Gene from the BK 3' Proximal First Locus," J. Gen. Virol. 78:2813-20, 1997 **COPY ENCLOSED** He et al., "Recovery of Infectious SV5 from Cloned DNA and Expression of a Foreign Gene," Virology 237:249-BL 260, 1997 **COPY ENCLOSED** Hoffman et al., "An Infectious Clone of Human Parainfluenza Virus Type 3," J. Virol. 71:4272-4277, 1997 BM **COPY ENCLOSED** Itoh et al., "Isolation of an Avirulent Mutant of Sendai Virus with Two Amino Acid Mutations from a Highly BN Virulent Field Strain Through Adaption to LLC-MK₂ Cells," J. Gen. Virol. 78:3207-3215, 1997 COPY **ENCLOSED** Jin et al., "Recombinant Human Respiratory Syncytial Virus (RSV) from cDNA and Construction of Subgroup A BO and B Chimeric RSV," Virology 251:206-214, 1998 COPY ENCLOSED Johnson et al., "Specific Targeting to CD4+ Cells of Recombinant Vesicular Stomatitis Viruses Encoding Human BP Immunodeficiency Virus Envelope Proteins," J. Virol. 71:5060-5068, 1997 **COPY ENCLOSED** Juhasz et al., "The Temperature-Sensitive (ts) Phenotype of a Cold-Passaged (cp) Live Attenuated Respiratory BQ Syncytial Virus Vaccine Candidate, Designated cpts 530, Results from a Single Amino Acid Substitution in the L Projejn," J. Virol. 71:5814-5819, 1997 **COPY ENCLOSED EXAMINER** acc **DATE CONSIDERED** 2001

BS Karron et al., "A Live Attenuated Bovine Parainfluenza Virus Type 3 Vaccine is Safe, Infectious, Immunogenic, and Phenotypically Stable in Infants and Children," J. Inf. Dis. 171:1107-1114, 1995		Page 3 of 5
APPLICANT'S INFORMATION DISCLOSURE STATEMENT (Use several sheets if necessary) BR Kahn et al., "Recombinant Vesicular Stomatitis Virus Expressing Respiratory Syncytial Virus (RSV) Glycoproteins: RSV Fusion Protein Can Mediate Infection and Cell Fusion," Virology 254:81-91, 1999 COP ENCLOSED BS Karron et al., "A Live Attenuated Bovine Parainfluenza Virus Type 3 Vaccine is Safe, Infectious, Immunogenic, and Phenotypically Stable in Infants and Children," J.Inf. Dis. 171:1107-1114, 1995 BT Karron et al., "A Live Human Parainfluenza Type 3 Virus Vaccine Is Attenuated and Immunogenic in Healthy Infants and Children," J.Inf. Dis. 172:1445-1450, 1995 COPY ENCLOSED BU Kato et al., "Initiation of Sendai Virus Multiplication from Transfected cDNA or RNA with Negative or Positive Sense," Genes to Cells 1:369-579, 1996 BV Kato et al., "Initiation of Sendai Virus Multiplication from Transfected cDNA or RNA with Negative or Positive Sense," Genes to Cells 1:369-579, 1996 BV Kato et al., "The Paramyxovirus, Sendai Virus, V Protein Encodes a Luxury Function Required for Viral Pathogenesis," EMBO. J. 16:378-387, 1997 COPY ENCLOSED BX Kretzschmar et al., "Normal Replication of Vesicular Stomatitis Virus Without C Proteins," Virology 216:309-316 1996 COPY ENCLOSED BY Kretzschmar et al., "High-Efficiency Incorporation of Functional Influenza Virus Glycoproteins into Recombinan Vesicular Stomatitis Viruses," J. Virol. 71:5982-5989, 1997 COPY ENCLOSED BZ Kuo et al., "Effect of Mutations in the Gene-Start and Gene-End Sequence Motifs on Transcription of Monocistronic and Dicistronic Minigenomes of Respiratory Syncytial Virus," J. Virol. 70:6892-6901, 1996 COPY ENCLOSED CA Kurotani et al., "Sendai Virus C Proteins are Categorically Nonessential Gene Products but Silencing Their Expression Severely Impairs Viral Replication and Pathogenesis," Genes to Cells. 3:111-124, 1998 COPY ENCLOSED CB Latorre et al., "The Poene of Human Parainfluenza Virus Type I Encodes P and C Proteins but not a Cysteine Rich V Pro	FORM PTO-14	
APPLICANT'S INFORMATION DISCLOSURE STATEMENT (Use several sheets if necessary) BR Kahn et al., "Recombinant Vesicular Stomatitis Virus Expressing Respiratory Syneytial Virus (RSV) Glycoproteins: RSV Fusion Protein Can Mediate Infection and Cell Fusion," Virology 254:81-91, 1999 COP ENCLOSED BS Karron et al., "A Live Attenuated Bovine Parainfluenza Virus Type 3 Vaccine is Safe, Infectious, Immunogenic, and Phenotypically Stable in Infants and Children," J.Inf. Dis. 171:1107-1114, 1995 BT Karron et al., "A Live Human Parainfluenza Type 3 Virus Vaccine is Safe, Infectious, Immunogenic, and Phenotypically Stable in Infants and Children," J.Inf. Dis. 172:1445-1450, 1995 COPY ENCLOSED BU Kato et al., "Initiation of Sendai Virus Multiplication from Transfected cDNA or RNA with Negative or Positive Sense," Genes to Cells 1:569-579, 1996 BV Kato et al., "Infiniation of Sendai Virus Multiplication from Transfected cDNA or RNA with Negative or Positive Sense," Genes to Cells 1:569-579, 1996 BV Kato et al., "Infiniation of Sendai Virus Multiplication from Transfected cDNA or RNA with Negative or Positive Pathogenesis," EMBO. J. 16:578-587, 1997 COPY ENCLOSED BX Kretzchmar et al., "Normal Replication of Vesicular Stomatitis Virus Without C Proteins," Virology 216:309-316 1996 COPY ENCLOSED BY Kretzschmar et al., "High-Efficiency Incorporation of Functional Influenza Virus Glycoproteins into Recombinan Vesicular Stomatitis Viruses," J. Virol. 71:5825-5989, 1997 COPY ENCLOSED BZ Kuo et al., "Effect of Mutations in the Gene-Start and Gene-End Sequence Motifs on Transcription of Monocistronic and Dicistronic Minigenomes of Respiratory Syncytal Virus," J. Virol. 71:0825-598, 1999 COPY ENCLOSED CA Kurotani et al., "Sendai Virus C Proteins are Categorically Nonessential Gene Products but Silencing Their Expression Severely Impairs Viral Replication and Pathogenesis," Genes to Cells. 3:111-124, 1998 COPY ENCLOSED CB Latorre et al., "The PGene of Human Parainfluenza Virus Type 1 Encodes P and C Proteins but not a	LIST OF PATE	NTS AND PUBLICATIONS Applicant: Brian R. Murphy et al. 5
Glycoproteins: RSV Fusion Protein Can Mediate Infection and Cell Fusion," <u>Virology</u> 254:81-91, 1999 COP ENCLOSED BS Karron et al., "A Live Attenuated Bovine Parainfluenza Virus Type 3 Vaccine is Safe, Infectious, Immunogenic, and Phenotypically Stable in Infants and Children," <u>J. Inf. Dis.</u> 172:1445-1450, 1995 COPY ENCLOSED BU Karron et al., "A Live Human Parainfluenza Type 3 Virus Vaccine Is Attenuated and Immunogenic in Healthy Infants and Children," <u>J. Inf. Dis.</u> 172:1445-1450, 1995 COPY ENCLOSED BU Kato et al., "Initiation of Sendai Virus Multiplication from Transfected cDNA or RNA with Negative or Positive Sense," <u>Genes to Cells</u> 1:569-579, 1996 BV Kato et al., "Initiation of Sendai Virus, V Protein Encodes a Luxury Function Required for Viral Pathogenesis," <u>EMBO.</u> 1:6:578-587, 1997 COPY ENCLOSED BW Kato et al., "The Paramyxovirus, Sendai Virus, V Protein Encodes a Luxury Function Required for Viral Pathogenesis," <u>EMBO.</u> 1:6:578-587, 1997 COPY ENCLOSED BX Kretzchmar et al., "Normal Replication of Vesicular Stomatitis Virus Without C Proteins," <u>Virology</u> 216:309-316 1996 COPY ENCLOSED BY Kretzschmar et al., "High-Efficiency Incorporation of Functional Influenza Virus Glycoproteins into Recombinan Vesicular Stomatitis Viruses," <u>I. Virol.</u> 71:5982-5989, 1997 COPY ENCLOSED BZ Kuo et al., "Effect of Mutations in the Gene-Start and Gene-End Sequence Motifs on Transcription of Monocistronic and Dicistronic Minigenomes of Respiratory Syncytial Virus," <u>I. Virol.</u> 70:6892-6901, 1996 COPY ENCLOSED CA Kurotani et al., "Sendai Virus C Proteins are Categorically Nonessential Gene Products but Silencing Their Expression Severely Impairs Viral Replication and Pathogenesis," <u>Genes to Cells.</u> 3:111-124, 1998 COP ENCLOSED CB Latore et al., "The Various Sendai Virus C Proteins Are Not Functionally Equivalent and Exert both Positive and Negative Effects on Viral FNA Accumulation During the Course of Infection," <u>I. Virol.</u> 72:5984-5993, 1998 COPY ENCLOSED CC Matsuoka et al., "The Pagene of Human Parainfl	APPLICANT'S	INFORMATION DISCLOSURE Filing Date: December 10, 1999 Group:
Glycoproteins: RSV Fusion Protein Can Mediate Infection and Cell Fusion," <u>Virology</u> 254:81-91, 1999 COP ENCLOSED BS Karron et al., "A Live Attenuated Bovine Parainfluenza Virus Type 3 Vaccine is Safe, Infectious, Immunogenic, and Phenotypically Stable in Infants and Children," <u>J. Inf. Dis.</u> 172:1445-1450, 1995 COPY ENCLOSED BU Karron et al., "A Live Human Parainfluenza Type 3 Virus Vaccine Is Attenuated and Immunogenic in Healthy Infants and Children," <u>J. Inf. Dis.</u> 172:1445-1450, 1995 COPY ENCLOSED BU Kato et al., "Initiation of Sendai Virus Multiplication from Transfected cDNA or RNA with Negative or Positive Sense," <u>Genes to Cells</u> 1:569-579, 1996 BV Kato et al., "Initiation of Sendai Virus, V Protein Encodes a Luxury Function Required for Viral Pathogenesis," <u>EMBO.</u> 1:6:578-587, 1997 COPY ENCLOSED BW Kato et al., "The Paramyxovirus, Sendai Virus, V Protein Encodes a Luxury Function Required for Viral Pathogenesis," <u>EMBO.</u> 1:6:578-587, 1997 COPY ENCLOSED BX Kretzchmar et al., "Normal Replication of Vesicular Stomatitis Virus Without C Proteins," <u>Virology</u> 216:309-316 1996 COPY ENCLOSED BY Kretzschmar et al., "High-Efficiency Incorporation of Functional Influenza Virus Glycoproteins into Recombinan Vesicular Stomatitis Viruses," <u>I. Virol.</u> 71:5982-5989, 1997 COPY ENCLOSED BZ Kuo et al., "Effect of Mutations in the Gene-Start and Gene-End Sequence Motifs on Transcription of Monocistronic and Dicistronic Minigenomes of Respiratory Syncytial Virus," <u>I. Virol.</u> 70:6892-6901, 1996 COPY ENCLOSED CA Kurotani et al., "Sendai Virus C Proteins are Categorically Nonessential Gene Products but Silencing Their Expression Severely Impairs Viral Replication and Pathogenesis," <u>Genes to Cells.</u> 3:111-124, 1998 COP ENCLOSED CB Latore et al., "The Various Sendai Virus C Proteins Are Not Functionally Equivalent and Exert both Positive and Negative Effects on Viral FNA Accumulation During the Course of Infection," <u>I. Virol.</u> 72:5984-5993, 1998 COPY ENCLOSED CC Matsuoka et al., "The Pagene of Human Parainfl		Volume to al. "Processing Processing Process
and Phenotypically Stable in Infants and Children," J. Inf. Dis. 171:1107-1114, 1995 Karron et al., "A Live Human Parainfluenza Typa 3 Virus Vaccine is Attenuated and Immunogenic in Healthy Infants and Children," J. Inf. Dis. 172:1445-1450, 1995 BU Kate et al., "linitation of Sendai Virus Multiplication from Transfected cDNA or RNA with Negative or Positive Sense," Genes to Cells 1:569-579, 1996 Kato et al., "The Paramyxovirus, Sendai Virus, V Protein Encodes a Luxury Function Required for Viral Pathogenesis," BMBO. J. 16:578-587, 1997 COPY ENCLOSED BW Kato et al., "Importance of the Cysteine-Rich Carboxyl-Terminal Half of V Protein for Sendai Virus Pathogenesis J. Virol. 71:7266-7272, 1997 COPY ENCLOSED BX Kretzchmar et al., "Normal Replication of Vesicular Stomatitis Virus Without C Proteins," Virology 216:309-316 1996 COPY ENCLOSED BY Kretzschmar et al., "Wigh-Efficiency Incorporation of Functional Influenza Virus Glycoproteins into Recombinan Vesicular Stomatitis Viruses," J. Virol. 71:5982-5989, 1997 COPY ENCLOSED BZ Kuo et al., "Effect of Mutations in the Gene-Start and Gene-End Sequence Motifs on Transcription of Monocistronic and Dicistronic Minigenomes of Respiratory Syncytial Virus," J. Virol. 70:6892-6901, 1996 COPY ENCLOSED CA Kurotani et al., "Sendai Virus C Proteins are Categorically Nonessential Gene Products but Silencing Their Expression Severely Impairs Viral Replication and Pathogenesis," Genes to Cells. 3:111-124, 1998 COPY ENCLOSED CB Lawson et al., "Recombinant Vesicular Stomatitis Viruses from DNA," Proc. Natl. Acad. Sci. USA 92:4477-4481 1995 CC Lawson et al., "Recombinant Vesicular Stomatitis Viruses from DNA," Proc. Natl. Acad. Sci. USA 92:4477-4481 1995 CC Mebatsion et al., "The P Gene of Human Parainfluenza Virus Type 1 Encodes P and C Proteins but not a Cysteine Rich V Protein," J. Virol. 65:3406-3410, 1991 COPY ENCLOSED CE Mebatsion et al., "Engly Quantity Production with Extreme Convenience of Human SDF-1α by a Sendai Virus Vector," EBB Lett. 425:105-111, 1998	BR	Glycoproteins: RSV Fusion Protein Can Mediate Infection and Cell Fusion," <u>Virology</u> 254:81-91, 1999 COPY
Infants and Children," J. Inf. Dis. 172:1445-1450, 1995 COPY ENCLOSED	BS	
Sense," Genes to Cells 1:569-579, 1996 BV Kato et al., "The Paramyxovirus, Sendai Virus, V Protein Encodes a Luxury Function Required for Viral Pathogenesis," EMBO. J. 16:578-587, 1997 COPY ENCLOSED BW Kato et al., "Importance of the Cysteine-Rich Carboxyl-Terminal Half of V Protein for Sendai Virus Pathogenesis," EMBO. J. 16:578-587, 1997 COPY ENCLOSED BX Kretzchmar et al., "Normal Replication of Vesicular Stomatitis Virus Without C Proteins," Virology 216:309-316 1996 COPY ENCLOSED BY Kretzschmar et al., "Protein Replication of Vesicular Stomatitis Virus Without C Proteins," Virology 216:309-316 1996 COPY ENCLOSED BZ Kuo et al., "Effect of Mutations in the Gene-Start and Gene-End Sequence Motifs on Transcription of Monocistronic and Dicistronic Minigenomes of Respiratory Syncytial Virus," J. Virol. 70:6892-6901, 1996 COPY ENCLOSED CA Kurotani et al., "Sendai Virus C Proteins are Categorically Nonessential Gene Products but Silencing Their Expression Severely Impairs Viral Replication and Pathogenesis," Genes to Cells. 3:111-124, 1998 COPY ENCLOSED CB Latorre et al., "The Various Sendai Virus C Proteins Are Not Functionally Equivalent and Exert both Positive and Negative Effects on Viral FNA Accumulation During the Course of Infection," J. Virol. 72:5984-5993, 1998 COPY ENCLOSED CC Lawson et al., "The P Gene of Human Parainfluenza Virus Type 1 Encodes P and C Proteins but not a Cysteine Rich V Protein," J. Virol. 65:3406-3410, 1991 COPY ENCLOSED CE Mebatsion et al., "The P Gene of Human Parainfluenza Virus Type 1 Encodes P and C Proteins but not a Cysteine Rich V Protein," J. Virol. 65:3406-3410, 1991 COPY ENCLOSED CF Moriya et al., "Large Quantity Production with Extreme Convenience of Human SDF-1α by a Sendai Virus Vector," FEBS Lett. 425:105-111, 1998 COPY ENCLOSED CH Murphy et al., "Large Quantity Production with Extreme Convenience of Human SDF-1α by a Sendai Virus Vector," FEBS Lett. 425:105-111, 1998 COPY ENCLOSED CH Murphy et al., "Current Approaches to the Development of Vaccines Effective	ВТ	
Pathogenesis," EMBO_J. 16:578-587, 1997 COPY ENCLOSED BW Kato et al., "Importance of the Cysteine-Rich Carboxyl-Terminal Half of V Protein for Sendai Virus Pathogenesis 1 Virol. 71:7266-7272, 1997 COPY ENCLOSED BX Kretzchmar et al., "Normal Replication of Vesicular Stomatitis Virus Without C Proteins," Virology 216:309-316 1996 COPY ENCLOSED BY Kretzschmar et al., "High-Efficiency Incorporation of Functional Influenza Virus Glycoproteins into Recombinan Vesicular Stomatitis Viruses," 1. Virol. 71:5982-5989, 1997 COPY ENCLOSED BZ Kuo et al., "Effect of Mutations in the Gene-Start and Gene-End Sequence Motifs on Transcription of Monocistronic and Dicistronic Minigenomes of Respiratory Syncytial Virus," 1. Virol. 70:6892-6901, 1996 COPY ENCLOSED CA Kurotani et al., "Sendai Virus C Proteins are Categorically Nonessential Gene Products but Silencing Their Expression Severely Impairs Viral Replication and Pathogenesis," Genes to Cells. 3:111-124, 1998 COPY ENCLOSED CB Latorre et al., "The Various Sendai Virus C Proteins Are Not Functionally Equivalent and Exert both Positive and Negative Effects on Viral FNA Accumulation During the Course of Infection," 1. Virol. 72:5984-5993, 1998 COPY ENCLOSED CC Lawson et al., "Recombinant Vesicular Stomatitis Viruses from DNA," Proc. Natl. Acad. Sci. USA 92:4477-4481 1995 CD Matsuoka et al., "The P Gene of Human Parainfluenza Virus Type 1 Encodes P and C Proteins but not a Cysteine Rich V Protein," 1. Virol. 65:3406-3410, 1991 COPY ENCLOSED CE Mebatsion et al., "Highly Stable Expression of a Foreign Gene from Rabies Virus Vectors," Proc. Natl. Acad. Sci. USA 93:7310-7314, 1996 COPY ENCLOSED CG Murphy et al., "Current Approaches to the Development of Vaccines Effective Against Parainfluenza and Respiratory Syncytial Virus (RSV) Or Purified F Glycoprotein And Challenged With RSV 3-6 Month After Immunization," Vaccine 8:497-502, 1990 COPY ENCLOSED CI Peters et al., "Rescue of Newsastle Dis	BU	
BX Kretzchmar et al., "Normal Replication of Vesicular Stomatitis Virus Without C Proteins," Virology 216:309-316 1996 COPY ENCLOSED	BV	
BY Kretzschmar et al., "High-Efficiency Incorporation of Functional Influenza Virus Glycoproteins into Recombinan Vesicular Stomatitis Viruses," J. Virol. 71:5982-5989, 1997 COPY ENCLOSED BZ Kuo et al., "Effect of Mutations in the Gene-Start and Gene-End Sequence Motifs on Transcription of Monocistronic and Dicistronic Minigenomes of Respiratory Syncytial Virus," J. Virol. 70:6892-6901, 1996 COPY ENCLOSED CA Kurotani et al., "Sendai Virus C Proteins are Categorically Nonessential Gene Products but Silencing Their Expression Severely Impairs Viral Replication and Pathogenesis," Genes to Cells. 3:111-124, 1998 COPY ENCLOSED CB Latorre et al., "The Various Sendai Virus C Proteins Are Not Functionally Equivalent and Exert both Positive and Negative Effects on Viral FNA Accumulation During the Course of Infection," J. Virol. 72:5984-5993, 1998 COPY ENCLOSED CC Lawson et al., "Recombinant Vesicular Stomatitis Viruses from DNA," Proc. Natl. Acad. Sci. USA 92:4477-4481 1995 CD Matsuoka et al., "The P Gene of Human Parainfluenza Virus Type 1 Encodes P and C Proteins but not a Cysteine Rich V Protein," J. Virol. 65:3406-3410, 1991 COPY ENCLOSED CE Mebatsion et al., "Highly Stable Expression of a Foreign Gene from Rabies Virus Vectors," Proc. Natl. Acad. Sci. U.S. A 93:7310-7314, 1996 COPY ENCLOSED CF Moriya et al., "Current Approaches to the Development of Vaccines Effective Against Parainfluenza and Respiratory Syncytial Viruses," Virus Res 11:1-15, 1988 COPY ENCLOSED CH Murphy et al., "Current Approaches to the Development of Vaccines Effective Against Parainfluenza and Respiratory Syncytial Virus (RSV) Or Purified F Glycoprotein And Challenged With RSV 3-6 Month After Immunization," Vaccine 8:497-502, 1990 CJ Pelese et al., "Negative-Strand RNA Viruses: Genetic Engineering and Applications," Proc. Natl. Acad. Sci. U.S. 93:11354-11358, 1996 CK Pelet et al., "The P Gene of Bovine Parainfluenza Virus 3 Expresses all Three Reading Frames from a Single mRNA Editing Site," EMBO J 10:443-448, 1991	BW	Kato et al., "Importance of the Cysteine-Rich Carboxyl-Terminal Half of V Protein for Sendai Virus Pathogenesis,"
Vesicular Stomatitis Viruses," J. Virol. 71:5982-5989, 1997 COPY ENCLOSED	BX	Kretzchmar et al., "Normal Replication of Vesicular Stomatitis Virus Without C Proteins," Virology 216:309-316, 1996 COPY ENCLOSED
Monocistronic and Dicistronic Minigenomes of Respiratory Syncytial Virus," J. Virol. 70:6892-6901, 1996 COPY ENCLOSED CA Kurotani et al., "Sendai Virus C Proteins are Categorically Nonessential Gene Products but Silencing Their Expression Severely Impairs Viral Replication and Pathogenesis," Genes to Cells. 3:111-124, 1998 COPY ENCLOSED CB Latorre et al., "The Various Sendai Virus C Proteins Are Not Functionally Equivalent and Exert both Positive and Negative Effects on Viral FNA Accumulation During the Course of Infection," J. Virol. 72:5984-5993, 1998 COPY ENCLOSED CC Lawson et al., "Recombinant Vesicular Stomatitis Viruses from DNA," Proc. Natl. Acad. Sci. USA 92:4477-4481 1995 CD Matsuoka et al., "The P Gene of Human Parainfluenza Virus Type 1 Encodes P and C Proteins but not a Cysteine Rich V Protein," J. Virol. 65:3406-3410, 1991 COPY ENCLOSED CE Mebatsion et al., "Highly Stable Expression of a Foreign Gene from Rabies Virus Vectors," Proc. Natl. Acad. Sci. U.S. A 93:7310-7314, 1996 COPY ENCLOSED CF Moriya et al., "Large Quantity Production with Extreme Convenience of Human SDF-1α by a Sendai Virus Vector," FEBS Lett. 425:105-111, 1998 COPY ENCLOSED CG Murphy et al., "Current Approaches to the Development of Vaccines Effective Against Parainfluenza and Respiratory Syncytial Viruses," Virus Res 11:1-15, 1988 COPY ENCLOSED CI Palese et al., "Negative-Strand RNA Viruses: Genetic Engineering and Applications," Proc. Natl. Acad. Sci. U.S. 93:11354-11358, 1996 CJ Peters et al., "Rescue of Newcastle Disease Virus from Cloned cDNA: Evidence that Cleavability of the Fusion Protein is a Major Determinant for Virulence," J. Virol. 73:5001-5009, 1999 COPY ENCLOSED CK Pelet et al., "The P Gene of Bovine Parainfluenza Virus 3 Expresses all Three Reading Frames from a Single mRNA Editing Site," EMBO J 10:443-448, 1991	BY	Kretzschmar et al., "High-Efficiency Incorporation of Functional Influenza Virus Glycoproteins into Recombinant Vesicular Stomatitis Viruses," J. Virol. 71:5982-5989, 1997 COPY ENCLOSED
Expression Severely Impairs Viral Replication and Pathogenesis," Genes to Cells. 3:111-124, 1998 COP' ENCLOSED CB Latorre et al., "The Various Sendai Virus C Proteins Are Not Functionally Equivalent and Exert both Positive and Negative Effects on Viral FNA Accumulation During the Course of Infection," J. Virol. 72:5984-5993, 1998 COPY ENCLOSED CC Lawson et al., "Recombinant Vesicular Stomatitis Viruses from DNA," Proc. Natl. Acad. Sci. USA 92:4477-4481 1995 CD Matsuoka et al., "The P Gene of Human Parainfluenza Virus Type 1 Encodes P and C Proteins but not a Cysteine Rich V Protein," J. Virol. 65:3406-3410, 1991 COPY ENCLOSED CE Mebatsion et al., "Highly Stable Expression of a Foreign Gene from Rabies Virus Vectors," Proc. Natl. Acad. Sci. U S A 93:7310-7314, 1996 COPY ENCLOSED CF Moriya et al., "Large Quantity Production with Extreme Convenience of Human SDF-1α by a Sendai Virus Vector," FEBS Lett. 425:105-111, 1998 COPY ENCLOSED CG Murphy et al., "Current Approaches to the Development of Vaccines Effective Against Parainfluenza and Respiratory Syncytial Virus RS 11:1-15, 1988 COPY ENCLOSED CH Murphy et al., "Enhanced Pulmonary Histopathology Is Observed In Cotton Rats Immunized With Formalin-Inactivated Respiratory Syncytial Virus (RSV) Or Purified F Glycoprotein And Challenged With RSV 3-6 Month After Immunization," Vaccine 8:497-502, 1990 CI Palese et al., "Negative-Strand RNA Viruses: Genetic Engineering and Applications," Proc. Natl. Acad. Sci. US/93:11354-11358, 1996 CK Pelet et al., "The P Gene of Bovine Parainfluenza Virus 3 Expresses all Three Reading Frames from a Single mRNA Editing Site," EMBO J 10:443-448, 1991	BZ	Monocistronic and Dicistronic Minigenomes of Respiratory Syncytial Virus," <u>J. Virol.</u> 70:6892-6901, 1996
Negative Effects on Viral FNA Accumulation During the Course of Infection," J. Virol. 72:5984-5993, 1998 COPY ENCLOSED CC Lawson et al., "Recombinant Vesicular Stomatitis Viruses from DNA," Proc. Natl. Acad. Sci. USA 92:4477-4481 1995 CD Matsuoka et al., "The P Gene of Human Parainfluenza Virus Type 1 Encodes P and C Proteins but not a Cysteine Rich V Protein," J. Virol. 65:3406-3410, 1991 COPY ENCLOSED CE Mebatsion et al., "Highly Stable Expression of a Foreign Gene from Rabies Virus Vectors," Proc. Natl. Acad. Sci. USA 93:7310-7314, 1996 COPY ENCLOSED CF Moriya et al., "Large Quantity Production with Extreme Convenience of Human SDF-1α by a Sendai Virus Vector," FEBS Lett. 425:105-111, 1998 COPY ENCLOSED CG Murphy et al., "Current Approaches to the Development of Vaccines Effective Against Parainfluenza and Respiratory Syncytial Viruses," Virus Res 11:1-15, 1988 COPY ENCLOSED CH Murphy et al., "Enhanced Pulmonary Histopathology Is Observed In Cotton Rats Immunized With Formalin-Inactivated Respiratory Syncytial Virus (RSV) Or Purified F Glycoprotein And Challenged With RSV 3-6 Month After Immunization," Vaccine 8:497-502, 1990 CI Palese et al., "Negative-Strand RNA Viruses: Genetic Engineering and Applications," Proc. Natl. Acad. Sci. US/93:11354-11358, 1996 CJ Peeters et al., "Rescue of Newcastle Disease Virus from Cloned cDNA: Evidence that Cleavability of the Fusion Protein is a Major Determinant for Virulence," J. Virol. 73:5001-5009, 1999 COPY ENCLOSED CK Pelet et al., "The P Gene of Bovine Parainfluenza Virus 3 Expresses all Three Reading Frames from a Single mRNA Editing Site," EMBO J 10:443-448, 1991	CA	Expression Severely Impairs Viral Replication and Pathogenesis," Genes to Cells. 3:111-124, 1998 COPY
1995 CD Matsuoka et al., "The P Gene of Human Parainfluenza Virus Type 1 Encodes P and C Proteins but not a Cysteine Rich V Protein," J. Virol. 65:3406-3410, 1991 COPY ENCLOSED	СВ	
Rich V Protein," J. Virol. 65:3406-3410, 1991 COPY ENCLOSED CE Mebatsion et al., "Highly Stable Expression of a Foreign Gene from Rabies Virus Vectors," Proc. Natl. Acad. Sci. U.S. A. 93:7310-7314, 1996 COPY ENCLOSED CF Moriya et al., "Large Quantity Production with Extreme Convenience of Human SDF-1α by a Sendai Virus Vector," FEBS Lett. 425:105-111, 1998 COPY ENCLOSED CG Murphy et al., "Current Approaches to the Development of Vaccines Effective Against Parainfluenza and Respiratory Syncytial Viruses," Virus Res. 11:1-15, 1988 COPY ENCLOSED CH Murphy et al., "Enhanced Pulmonary Histopathology Is Observed In Cotton Rats Immunized With Formalin-Inactivated Respiratory Syncytial Virus (RSV) Or Purified F Glycoprotein And Challenged With RSV 3-6 Month After Immunization," Vaccine 8:497-502, 1990 CI Palese et al., "Negative-Strand RNA Viruses: Genetic Engineering and Applications," Proc. Natl. Acad. Sci. USA 93:11354-11358, 1996 CJ Peeters et al., "Rescue of Newcastle Disease Virus from Cloned cDNA: Evidence that Cleavability of the Fusion Protein is a Major Determinant for Virulence," J. Virol. 73:5001-5009, 1999 COPY ENCLOSED CK Pelet et al., "The P Gene of Bovine Parainfluenza Virus 3 Expresses all Three Reading Frames from a Single mRNA Editing Site," EMBO J 10:443-448, 1991	cc	Lawson et al., "Recombinant Vesicular Stomatitis Viruses from DNA," Proc. Natl. Acad. Sci. USA 92:4477-4481, 1995
USA 93:7310-7314, 1996 COPY ENCLOSED CF Moriya et al., "Large Quantity Production with Extreme Convenience of Human SDF-1α by a Sendai Virus Vector," FEBS Lett. 425:105-111, 1998 COPY ENCLOSED CG Murphy et al., "Current Approaches to the Development of Vaccines Effective Against Parainfluenza and Respiratory Syncytial Viruses," Virus Res 11:1-15, 1988 COPY ENCLOSED CH Murphy et al., "Enhanced Pulmonary Histopathology Is Observed In Cotton Rats Immunized With Formalin-Inactivated Respiratory Syncytial Virus (RSV) Or Purified F Glycoprotein And Challenged With RSV 3-6 Month After Immunization," Vaccine 8:497-502, 1990 CI Palese et al., "Negative-Strand RNA Viruses: Genetic Engineering and Applications," Proc. Natl. Acad. Sci. USA 93:11354-11358, 1996 CJ Peeters et al., "Rescue of Newcastle Disease Virus from Cloned cDNA: Evidence that Cleavability of the Fusion Protein is a Major Determinant for Virulence," J. Virol. 73:5001-5009, 1999 COPY ENCLOSED CK Pelet et al., "The P Gene of Bovine Parainfluenza Virus 3 Expresses all Three Reading Frames from a Single mRNA Editing Site," EMBO J 10:443-448, 1991	CD	Matsuoka et al., "The P Gene of Human Parainfluenza Virus Type 1 Encodes P and C Proteins but not a Cysteine-Rich V Protein," J. Virol. 65:3406-3410, 1991 COPY ENCLOSED
Vector," FEBS Lett. 425:105-111, 1998 COPY ENCLOSED CG Murphy et al., "Current Approaches to the Development of Vaccines Effective Against Parainfluenza and Respiratory Syncytial Viruses," Virus Res 11:1-15, 1988 COPY ENCLOSED CH Murphy et al., "Enhanced Pulmonary Histopathology Is Observed In Cotton Rats Immunized With Formalin-Inactivated Respiratory Syncytial Virus (RSV) Or Purified F Glycoprotein And Challenged With RSV 3-6 Month After Immunization," Vaccine 8:497-502, 1990 CI Palese et al., "Negative-Strand RNA Viruses: Genetic Engineering and Applications," Proc. Natl. Acad. Sci. USA 93:11354-11358, 1996 CJ Peeters et al., "Rescue of Newcastle Disease Virus from Cloned cDNA: Evidence that Cleavability of the Fusion Protein is a Major Determinant for Virulence," J. Virol. 73:5001-5009, 1999 COPY ENCLOSED CK Pelet et al., "The P Gene of Bovine Parainfluenza Virus 3 Expresses all Three Reading Frames from a Single mRNA Editing Site," EMBO J 10:443-448, 1991	CE	Mebatsion et al., "Highly Stable Expression of a Foreign Gene from Rabies Virus Vectors," <u>Proc. Natl. Acad. Sci. U S A</u> 93:7310-7314, 1996 COPY ENCLOSED
Respiratory Syncytial Viruses," <u>Virus Res</u> 11:1-15, 1988 COPY ENCLOSED CH Murphy et al., "Enhanced Pulmonary Histopathology Is Observed In Cotton Rats Immunized With Formalin-Inactivated Respiratory Syncytial Virus (RSV) Or Purified F Glycoprotein And Challenged With RSV 3-6 Month After Immunization," <u>Vaccine</u> 8:497-502, 1990 CI Palese et al., "Negative-Strand RNA Viruses: Genetic Engineering and Applications," <u>Proc. Natl. Acad. Sci. USA</u> 93:11354-11358, 1996 CJ Peeters et al., "Rescue of Newcastle Disease Virus from Cloned cDNA: Evidence that Cleavability of the Fusion Protein is a Major Determinant for Virulence," <u>J. Virol.</u> 73:5001-5009, 1999 COPY ENCLOSED CK Pelet et al., "The P Gene of Bovine Parainfluenza Virus 3 Expresses all Three Reading Frames from a Single mRNA Editing Site," <u>EMBO J</u> 10:443-448, 1991	CF	
Inactivated Respiratory Syncytial Virus (RSV) Or Purified F Glycoprotein And Challenged With RSV 3-6 Month After Immunization," Vaccine 8:497-502, 1990 CI Palese et al., "Negative-Strand RNA Viruses: Genetic Engineering and Applications," Proc. Natl. Acad. Sci. USA 93:11354-11358, 1996 CJ Peeters et al., "Rescue of Newcastle Disease Virus from Cloned cDNA: Evidence that Cleavability of the Fusion Protein is a Major Determinant for Virulence," J. Virol. 73:5001-5009, 1999 COPY ENCLOSED CK Pelet et al., "The P Gene of Bovine Parainfluenza Virus 3 Expresses all Three Reading Frames from a Single mRNA Editing Site," EMBO J 10:443-448, 1991	CG	
93:11354-11358, 1996 CJ Peeters et al., "Rescue of Newcastle Disease Virus from Cloned cDNA: Evidence that Cleavability of the Fusion Protein is a Major Determinant for Virulence," J. Virol. 73:5001-5009, 1999 COPY ENCLOSED CK Pelet et al., "The P Gene of Bovine Parainfluenza Virus 3 Expresses all Three Reading Frames from a Single mRNA Editing Site," EMBO J 10:443-448, 1991	СН	Inactivated Respiratory Syncytial Virus (RSV) Or Purified F Glycoprotein And Challenged With RSV 3-6 Months
Protein is a Major Determinant for Virulence," <u>J. Virol.</u> 73:5001-5009, 1999 COPY ENCLOSED CK Pelet et al., "The P Gene of Bovine Parainfluenza Virus 3 Expresses all Three Reading Frames from a Single mRNA Editing Site," <u>EMBO J</u> 10:443-448, 1991	CI	Palese et al., "Negative-Strand RNA Viruses: Genetic Engineering and Applications," <u>Proc. Natl. Acad. Sci. USA</u> 93:11354-11358, 1996
mRNA Editing Site," <u>EMBO J</u> 10:443-448, 1991	Cl	
V 01 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1	СК	
CL Radecke et al., "Rescue of Measles Viruses from Cloned DNA," EMBO J. 14:5773-5784, 1995	CL	Radecke et al., "Rescue of Measles Viruses from Cloned DNA," EMBO J. 14:5773-5784, 1995
EXAMINER JACK DATE CONSIDERED July 2, 2001	EXAMINER	DATE CONSIDERED July 2 2001


			() () () () () ()	Page 4 of 5	
FORM PTO-1449 (Mo	77.00	Attorney Docket No.: 1763	1-000330US 2	pplication No.: 09/458,813	
	ND PUBLICATIONS R	Applicant: Brian R. Murphy			
	MATION DISCLASSIRE	Filing Date: December 10, 1	1999	Group:	
	eral sheets if necessary)				
162:7	46, 1990	virus Induces a Type-Specific			
(cp45	Correlates with a Defect in	the L Gene," <u>J. Virol</u> . 70:580	-584, 1996	pe 3 Candidate Vaccine Strain	
CO Robe	Roberts et al., "Attenuated Vesicular Stomatitis Viruses as Vaccine Vectors," <u>J. Virol</u> . 73:3723-3732, 1999 COPY ENCLOSED				
		Recombinant Vesicular Store Protection from Influenza Vi			
	ts et al., "Recovery of Nega ive Field," <u>Virology</u> 247:1-6			Positive Approach Revitalizes a	
	Sakaguchi et al., "Expression of the HN, F, NP and M Proteins of Sendai Virus By Recombinant Vaccinia Viruses and Their Contribution to Protective Immunity Against Sendai Virus Infections in Mice," <u>J. Gen. Virol.</u> 74:479-484, 1993				
	Sakai et al., "Accommodation Of Foreign Genes Into The Sendai Virus Genome: Sizes Of Inserted Genes And Viral Replication," FEBS Letters 456:221-226, 1999 COPY ENCLOSED				
CT Sanct		Assignment of mRNAs of HuSED	uman Parainfluenza	Virus 3," <u>Virology</u> 147:177-	
CU Schne	ll et al., "Infectious Rabies \	Viruses from Cloned cDNA,"	EMBO J. 13:4195-4	203, 1994	
	Schnell et al., "The Minimal Conserved Transcription Stop-Start Signal Promotes Stable Expression of a Foreign Gene in Vesicular Stomatitis Virus," J. Virol. 70:2318-2323, 1996 COPY ENCLOSED				
	Schell et al., "Foreign Glycoproteins Expressed from Recombinant Vesicular Stomatitis Viruses are Incorporated Efficiently into Virus Particles," Proc. Natl. Acad. Sci. USA 93:11359-11365, 1996 COPY ENCLOSED				
	Schnell et al., "Construction of a Novel Virus that Targets HIV-1-Infected Cells and Controls HIV-1 Infection," Cell 90:849-857, 1997 COPY ENCLOSED				
	Singh et al., "A Recombinant Measles Virus Expressing Biologically Active Human Interleukin-12," <u>J. Gen. Virol.</u> 80:101-106, 1999 COPY ENCLOSED				
	Singh et al., "A Recombinant Measles Virus expressing Hepatitis B Virus Surface Antigen Induces Humoral Immune Responses in Genetically Modified Mice," J. Virol. 73:4823-4828, 1999 COPY ENCLOSED				
cp45		Acid Substitutions in the L F indidate Contribute to Its Temp		n Parainfluenza Virus Type 3 and Attenuation Phenotypes," <u>J.</u>	
Atten		n of Mutations Contributing to e-Attenuated Cold-Passage 4: 1999 COPY ENCLOSE	5 (<i>cp</i> 45) Ĥuman Para		
	proteins of the Live-Attenua			e by Replacing the HN and F ounterparts," <u>Vaccine</u> 18:503-	
	nofer et al., "Chimeric Meas LOSED	es Viruses with a Foreign Env	velope," <u>J. Virol</u> . 72:	2150-2159, 1998 COPY	
		of the P and C Protein Genes Among Paramyxovirus Prote		nenza Virus Type 3: Patterns of 57:2705-2719, 1986	
√ DF Stoke	s et al., "The Complete Nucl	eotide Sequence of the JS Stra /57 Prototype Strain," <u>Virus F</u>	ain of Human Parain	fluenza Virus Type 3:	
EXAMINER AFACE	1. Krom	DATE CONSIDERED	July 2, 200	o/	

OIPE

V

FORM PTO-14	49 (Modified) Attorney Docket No.: 17634-000330US Application No.: 09/458,813				
LIST OF PATE	NTS AND PUBLICATIONS FOR Applicant: Brian R. Murphy et al.				
STATEMENT (49 (Modified) Attorney Docket No.: 17634 000330US Application No.: 09/458,813 Applicant: Brian R. Murphy et al. Filing Date: December 10, 1999				
SUB DG	Stokes et al., "The Complete Nucleotide Sequence of Two Cold-Adapted, Temperature-Sensitive Attenuated Mutant Vaccine Viruses (cp12 and cp45) Derived from the JS Strain and Human Parainfluenza Virus Type 3 (PIV3)," <u>Virus Res</u> . 30:43-52, 1993				
DH	Tanabayashi, K. and Compans, R.W., "Functional Interaction of Paramyxovirus Glycoproteins: Identification of a Domain in Sendai Virus HN Which Promotes Cell Fusion," <u>J. Virol.</u> 70:6112-6118, 1996				
DI	Tao et al., "Recovery of a Fully Viable Chimeric Human Parainfluenza Virus (PIV) Type 3 in Which the Hemagglutinin-Neuraminidase and Fusion Glycoproteins Have Been Replaced by Those of PIV Type 1," <u>J. Virol.</u> 72:2955-2961, 1998				
DJ	Tao et al., "A Live Attenuated Recombinant Chimeric Parainfluenza Virus (PIV) Candidate Vaccine Containing the Hemagglutinin-Neuraminidase and Fusion Glycoproteins of PIV1 and the Remaining Proteins from PIV3 Induces Resistance to PIV1 Even in Animals Immune to PIV3" <u>Vaccine</u> 17:1101-1108, 1999 COPY ENCLOSED				
DK	van Wyke Coelingh et al., "Antigenic Variation in the Hemagglutinin-Neuraminidase Protein of Human Parainfluenza Type 3 Virus," Virology 143:569-582, 1985				
DL	van Wyke Coelingh et al., "Antigenic and Structural Properties of the Hemagglutinin-Neuraminidase Glycoprotein of Human Parainfluenza Virus Type 3: Sequence Analysis of Variants Selected with Monoclonal Antibodies Which Inhibit Infectivity, Hemagglutination, and Neuraminidase Activities," J. Virol. 61:1473-1477, 1987				
DM	Vidal et al., "Editing of the Sendai Virus P/C mRNA by G Insertion Occurs during mRNA Synthesis via a Virus- Encoded Activity," J. Virol. 64:239-246, 1990 COPY ENCLOSED				
DN	Wathen et al., "Characterization of a Novel Human Respiratory Syncytial Virus Chimeric FG Glycoprotein Expressed Using a Baculovirus Vector," J. Gen Virol. 70:2625-2635, 1989 COPY ENCLOSED				
DO	Whelan et al., "Efficient Recovery Of Infectious Vesicular Stomatitis Virus Entirely From cDNA Clones," Proc. Natl. Acad. Sci. USA 92:8388-8392, 1995				
DP	Whitehead et al., "A Single Nucleotide Substitution in the Transcription Start Signal of the M2 Gene of Respiratory Syncytial Virus Vaccine Candidate <i>cpts</i> 248/404 is the Major Determinant of the Temperature-Sensitive and Attenuation Phenotypes," <u>Virology</u> 247:232-239, 1998a COPY ENCLOSED				
DQ	Whitehead et al., "Recombinant Respiratory Syncytial Virus (RSV) Bearing a Set of Mutations from cold-Passaged RSV is Attenuated in Chimpanzees," <u>J. Virol.</u> 72:4467-4471, 1998b COPY ENCLOSED				
DR	Whitehead et al., "Recombinant Respiratory Syncytial Virus Bearing a Deletion of Either the NS2 or SH Gene is Attenuated in Chimpanzees," <u>J. Virol.</u> 73:3438-3442, 1999 COPY ENCLOSED				
DS	Yu et al., "Sendai Virus-Based Expression of HIV-1 gp120: Reinforcement by the V(-) Version," Genes to Cells 2:457-466, 1997 COPY ENCLOSED				
EXAMINER	Stay J. Brown DATE CONSIDERED July 2, 2001				

EXAMINER: Initial if reference considered, whether or not citation is in conformance with MPEP 609; Draw line through citation if not in conformance and not considered. Include copy of this form with next communication to applicant.



EXAMINER: Initial if reference considered, whether or not citation is in conformance with MPEP 609; Draw line through citation if not in conformance and not considered. Include copy of this form with next communication to applicant.

EXAMINER

DATE CONSIDERED

July

2,2001